




















# GAS STRUTS CATALOGUE



EN | 22



# INDEX

	JOHN DEERE _____	4
	MASSEY FERGUSON _____	6
	FORD NEW HOLLAND _____	8
	CASE _____	12
	MCCORMICK _____	16
	FIAT _____	17
	DEUTZ _____	18
	LANDINI _____	20
	SAME _____	21
	LEYLAND _____	22
	KUBOTA _____	22
	ZETOR _____	23
	DAVID BROWN _____	23
	RENAULT _____	24
	FENDT _____	25
	LAMBORGHINI _____	26
	VALMET _____	27
	HURLIMANN _____	28
	STEYR _____	29


View our **full range** of  
**Gas Struts** on  
**[www.qtponline.com](http://www.qtponline.com)**





## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>58717</b>	735mm	150N		2250 2450 2650 2850 3050 3350 3650 Series	Rear	AL68211
<b>59821</b>	735mm	150N	A: M8 A: M8	30 40 50 55 60 Series	Rear	AL35675
<b>58736</b>	675mm	825N		6170R 6190R 6210R Series	Bonnet	AL214376
<b>58905</b>	635mm	825N	C D	6105R 6110R 6115R 6120R 6125R 6130R Series	Bonnet	AL214868
<b>58904</b>	620mm	750N	C C	6M 6R Series	Bonnet	AL215748
<b>59069</b>	550mm	510N	F F	6E 6D 6J 6005 6020 6030 Series	Bonnet	AL174088
<b>59078</b>	545mm	800N	B B	5E 6E 6J 6005 6020 6030 7000 7005 7020 7030 Series	Bonnet	AL174087
<b>58762</b>	525mm	150N		6R 6030 7030 Series	Rear	AL203035
<b>59079</b>	515mm	200N	G: 10mm G: 10mm	5E 6M 6000 6010 6020 6030 7000 7010 7020 7030 Series	Roof	AL160699
<b>58759</b>	500mm	170N		7000 7010 Series	Rear	RE170092
<b>59371</b>	500mm	130N	A: M8 A: M8	5E 5M 5R 6J 6D 6E 6RC 6M 5015 5020 6000 6010 6020 6030 7030 5025 6005 5005 7005 6003 Series	Rear	AL114803
<b>580124</b>	500mm	155N		5E 5M 5R 6D 6J 6M 6R 7J 7R 8R 9R 20 5020 5025 6000 6003 6005 6010 6020 6030 7000 7005 7010 7020 7030 8000 8030 8070 8060 8010 8020 9000 9020 9030 Series	Door	RE234165



## Gas Struts


**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
59818	495mm	200N	A: M8 A: M8	30 40 50 Series	Rear	AL33170
57834	435mm	155N	A: M8 A: M8	8000 8010 8020 8030 Series	Door	
580072	405mm	170N		7000 7010 8000 Series	Rear	RE234995
580125	380mm	125N		7J 8R 7005 7020 7030 8000 8010 8020 8030 9000 9020 9030 Series	Rear	RE234166
59770	355mm	900N	C: 10mm D: 8.1mm	6000 6005 6010 Series	Bonnet	AL77767
58761	330mm	650N		6R 6030 7030 Series	Steering	AL204376
58715	320mm	100N	B: 8mm A: M8	40 50 Series	Windscreen	AL61021
580128	315mm	150N		8R 8000 8010 9000 9020 Series	Rear	RE234988
58723	280mm	250N	A: M8 A: M8	7000 7010 Series	Door	RE234996
59663	260mm	250N	A: M8 A: M8	5E 5M 5R 6D 6E 6J 6M 6R 6RC 5000 5003 5005 5010 5020 5025 6000 6005 6010 6020 6030 7000 7020 7030 Series	Door	AL110629
58716	250mm	300N	A: M8 E:	30 40 50 Series	Rear & Roof	AL28599
59664	245mm	350N	A: M8 A: M8	5E 5M 5R 6E 6D 6J 6M 6R 6RC 5000 5003 5005 5010 5015 5020 5025 6000 6003 6005 6010 6020 6030 7000 7020 7030 Series	Door	AL174358
59952	230mm	330N		5M 5R 5003 5020 6000 6005 6010 6020 6030 7000 7010 7020 Series	Steering	AL150755



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
61285	785mm	250N	A: M8 A: M8	3000 3100 3600 Series	Rear	3389556M2
52954	590mm	150N		5400 5600 5700 6100 6200 6400 6600 6700 7100 7400 7600 7700 8100 8200 8400 Series	Rear	5192009
3935E	505mm	350N	B: 8mm B: 8mm	200 300 500 2600 Series	Rear	
2834	500mm	200N	A: M8 A: M8	200 300 500 2600 2700 Series	Rear	83932024
3559	500mm	250N	A: M8 A: M8	200 500 2600 2700 Series	Rear	1873903M1
3935	500mm	350N	A: M8 A: M8	200 300 500 2600 2700 Series	Rear	1873903M91
6162	500mm	200N	A: M8 A: M8	200 300 Series	Rear	3476187M1
6716	490mm	150N	A: M8 A: M8	4200 4300 Series	Door, Windscreen & Rear	3804759M1
1481	395mm	140N	A: M8 A: M8		Rear	
64440	345mm	250N	A: M8 A: M8	4455 Series	Door	V31517920
1332	290mm	250N	A: M8 A: M8	135 Series	Rear	



# MASSEY FERGUSON Tractors

## Gas Struts


**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>3672</b>	285mm	350N	<b>B: 8mm</b> <b>B: 8mm</b>	Duncan Cab – New type	Rear	
<b>6389</b>	275mm	290N	<b>A: M8</b> <b>A: M8</b>	200 300 Series	Door	3478319M1
<b>64450</b>	255mm	100N	<b>B:</b> <b>B:</b>	100 200 1000 3000 3100 3600 Series	Door	3104824M1
<b>780171</b>	255mm	300N		3000 3100 3600 Series	Door	6005014361
<b>61950</b>	230mm	600N	<b>A: M8</b> <b>A: M8</b>	5400 6400 6200 6400 7400 8100 8200 Series	Door	3902121M3
<b>2699</b>	220mm	220N	<b>E: 8mm</b> <b>H: 8mm</b>	200 300 500 600 1000 2600 2700 3000 3100 3600 5400 6100 6200 6400 7400 8100 8200 8400 Series	Roof	83949895
<b>52215</b>	220mm	330N	<b>B: 8mm</b> <b>H: 8mm</b>	4200 4300 Series	Roof	3901826M91



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>41766</b>	900mm	500N	<b>B: 10mm</b> <b>B: 10mm</b>	8160 8260 8360 8560 TM115 TM120 TM125 TM130 TM135 TM140 TM150 TM155 TM165 Series	Bonnet	82019392
<b>52490</b>	690mm	900N	<b>B: 8mm</b> <b>B: 8mm</b>	TS100 A Delta TS115 A Delta TS125 A Deluxe TS135 A Deluxe Series	Bonnet	82032866
<b>43164</b>	685mm	300N	<b>B: 10mm</b> <b>B: 10mm</b>	TS100 TS110 TS115 TS80 TS90 Series	Bonnet	82011092
<b>52954</b>	590mm	150N	<b>A: M8</b> <b>A: M8</b>	35 60 T5000 TL TM TLA TNF Series	Rear	5192009
<b>61951</b>	585mm	150N	<b>A: M8</b> <b>A: M8</b>	35 60 T5000 TL TM TLA TNF Series	Rear	3902140M1
<b>407119</b>	585mm	220N	<b>A: M8</b> <b>A: M8</b>	35 40 60 TL TM TS TLA 600 TM Brasil TS Brasil Series	Rear	81865239
<b>43663</b>	580mm	310N	<b>B: 8mm</b> <b>E: 6mm</b>	35 TL TLA TL Brasil TL Exitus Brasil Series	Bonnet	5166403
<b>55096</b>	570mm	200N		T5000 TL TLA Series	Rear	47126775
<b>44073</b>	515mm	210N		T5.95 T5.100 T5.105 T5.110 T5.115, T5.120 Series	Rear	84370227
<b>2836</b>	505mm	205N	<b>A: M8</b> <b>A: M8</b>	10 30 Series	Door	83944272
<b>2834</b>	500mm	200N	<b>A: M8</b> <b>A: M8</b>	10 30 Series	Rear	83932024





# FORD NEW HOLLAND Tractors

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>43533</b>	485mm	200N		T6000 T7000 TSA T6 T7 T6000 Range Power Command T7 Auto Power Command Series	Rear	82022486
<b>44068</b>	480mm	100N		T4 T5 Series	Rear	84280589
<b>3621</b>	415mm	350N	A: M8 A: M8		Rear	
<b>43808</b>	405mm	100N	A: M8 A: M8	T4 T4000 T4000V T4000N TNNA TNVA TNN TNV Series	Rear	44911878
<b>2107</b>	375mm	150N	A: M8 A: M8	66100 76100 78100 5630 6730 7730 7930 8230 6600 5700 6700 Series	Rear	83952213
<b>43567</b>	765mm	900N	A: M8 A: M8	T6000 T7 T6000 Range Power T7 Auto Power Command Series	Bonnet	84277822
<b>52595</b>	335mm	270N	A: M8 A: M8	TG210 TG230 TG255 TG285 T8010 T8020 T8030 T8040 T8050 Series	Door	1280263C1
<b>44074</b>	325mm	180N		T4 T5 Series	Door	84272165
<b>52594</b>	270mm	450N	A: M8 A: M8	TD 5000 TT TDD Series	Door	87652519
<b>2835</b>	255mm	100N	A: M8 E: 6.2mm	2610 2910 3610 3910 4110 4610 5110 5610 6610 7610 Series	Windscreen	83944280
<b>43860</b>	250mm	150N		4635 4835 5635 6635 7635 TL100 TL70 TL80 TL90 TL100 A TL70 A TL80 A TL90 A Series	Roof	82002925
<b>52593</b>	240mm	100N	A: M8 E:	2610 2910 3610 3910 4110 4610 5110 5610 Series	Roof	3123835R1
<b>42772</b>	235mm	350N		T6000 T7000 TSA T6000 Range Power T7000 Auto Command Series	Steering	82036016
<b>2699</b>	220mm	220N	E: 8mm H: 8mm	10 30 40 60 600 700 1000 TM TS TW TM Brasil Series	Roof	83949895
<b>52215</b>	220mm	330N	B: 8mm B: 8mm	234 334 335 445 230A 530A 545D Series	Roof	3901826M91
<b>41767</b>	215mm	310N	A: M8 A: M8	40 60 T5000 TM TS TLA TM Brasil Series	Door	87378324
<b>43532</b>	215mm	850N		TSA T6000 T6 T7 T6000 Power Range T7 Auto Range Power T7000 Auto Command Series	Door	87374182

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>4715</b>	210mm	300N	A: M8 A: M8	10 30 TW Series	Door & Roof	83952266
<b>43471</b>	205mm	500N	A: M8 A: M8	T600 T700 TSA T7 T6 T6000 Power Auto T7 Auto Power Command Series	Door	134621099
<b>52574</b>	200mm	200N	A: M8 A: M8	TN TNA TNF TNS TNFA TNNA TNVA TND TN TNV Series	Door	44910474
<b>43070</b>	195mm	50N	A: M8 A: M8	TM TM-Brasil Series	Glove Box	82014620
<b>52952</b>	190mm	200N	A: M8 A: M8	TNS TNDA TNSA TND Series	Door	5191712





# FORD NEW HOLLAND Tractors

## Gas Struts


**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

View our **full range** of  
**Gas Struts** on  
**[www.qtponline.com](http://www.qtponline.com)**



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
41766	900mm	500N	B: 10mm B: 10mm	MXM120 MXM130 MXM140 MXM155 Series	Bonnet	82019392
55098	695mm	180N	A: M8 E:	3210 3220 3230 4210 4220 4230 4240 Series	Windscreen	222114A1
52490	690mm	900N	B: 8mm B: 8mm	Maxxum 110 115 120 130 140 MXU100 MXU110 Series	Bonnet	3901826M91
680305	590mm	220N	A: M8 A: M8	900 Vario TMS Series	Rear	X800.420.490.000
52954	590mm	150N	A: M8 A: M8	JXU JXC Series	Rear	199976015
61951	585mm	150N	A: M8 A: M8	MXM JXU Series	Rear	3902140M1
407119	585mm	220N	A: M8 A: M8	MXM120 MXM130 MXM155 MXM175 MXM190 Series	Rear	81865239
55093	570mm	350N		Magnum Series	Bonnet	1968168C3
55096	570mm	200N		JXU Series	Rear	47126775
53184	550mm	180N		44 55 56 85 95 3000 3200 4000 4200 Series	Rear	5192009
44073	515mm	210N		Farmall Luxxum Series	Rear	84370227
2320	500mm	130N	B: 8mm B: 8mm	743XL 745XL 844XL 956XL 1056XL 1255XL 1455XL Series	Rear	5113767
2834	500mm	200N	A: M8 A: M8	484 584 684 784 884 Series	Rear	83932024



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
3559	500mm	250N	A: M8 A: M8		Rear	1873903M1
52579	500mm	180N	A: M8 B:	43 44 45 46 55 Series	Rear	3221531R1
52581	500mm	210N	A: M8 A: M8	743 745S 844S 845 Series	Rear	3225465R1
59818	495mm	200N	A: M8 A: M8	743 745S 844S Series	Rear	AL33170
56008	492mm	250N	C: M8 C: M6	700 800 900 1000 Series	Rear	7700002850
6353	485mm	200N	G: 8mm G: 8mm	CX Maxxum Magnum MX Series	Rear	3548042M91
43533	485mm	200N	G: G:	Maxxum MXU Puma Series	Rear	82022486
52092	485mm	200N	A: M8 A: M8	CX Maxxum MX Magnum MX Series	Rear	189447A2
780165	485mm	200N	G: 8mm G: 8mm	PJ CX Maxxum MX Magnum MX Series	Door	6005012549
44068	480mm	100N		Farmall 55C 65C 75C Series	Rear	84280589
52576	475mm	150N	A: M8 A: M8	Maxxum 5120 5130 5140 5150 5220 5230 5240 5250 Series	Rear	1971235C1
55089	473mm	150N		Maxxum 5120 5130 5140 5150 5220 5230 5240 5250 Series	Rear	3234163R1
55095	460mm	300N	A: M8 A: M8	JX JX Maxxima Series	Rear	5089567
52589	450mm	150N	A: M8 B: 8mm	3210 3220 3230 4210 4220 4230 4240 Series	Rear	144947A2
52585	422mm	150N	A: M8 A: M8	84 85 86 95 74 75 78 2000 Industrial Series	Rear	3125425R1
43808	405mm	100N		Quantum JXN JXV Series	Rear	44911878
52580	405mm	150N	A: M8 B:	43 44 45 46 55 Series	Windscreen	3232760R2
52570	400mm	240N	A: M8 B:	440 540 640 740 840 940 Series	Rear	1332551C1
52572	400mm	150N	A: M8 A: M8	84 85 Industrial Series	Rear	K302896
52586	400mm	330N		Maxxum 5130 5140 5150 5230 5240 5250 Series	Bonnet	1531490C1
55090	400mm	250N	B: 8mm B: 8mm	Maxxum 5120 5120Pro 5220 Series	Bonnet	1971235C2
43567	345mm	250N	B: 8mm B: 8mm	MXU115 MXU125 MXU135 Puma 155 Series	Bonnet	84277822

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
52595	335mm	270N	A: M8 A: M8	Magnum MX Magnum Series	Door	1280263C1
680304	325mm	500N	G: M10 G: M10	900 Vario TMS Series	Side	H916501022110
44074	325mm	180N	A: M8 A: M8	Farmall 105U 110U 115U 120U 55C 65C 75C 85C 95C 105C 115C Series	Door	84272165
55091	305mm	142N		Magnum Series	Rear	1531489C1
52577	285mm	380N	B: B:	54 74 75 78 84 85 86 95 85Utility 95Utility 2000 Series	Door	3123040R1
52578	285mm	520N	B: B:	54 74 75 84 85 85Utility Series	Door	3118430R1
52583	275mm	350N	A: M8 A: M8	43 44 45 55 56 85 95 85Utility 95Utility 3000 3200Utility 4000 4200Utility Series	Door	3232937R1
52594	270mm	450N	A: M8 A: M8	JX JX Maxxima Series	Door	87652519
2835	255mm	100N	A: M8 E: 6.2mm	84 85 94 BD 68 54 78 2000 85Utility 95Utility Series	Windscreen	83944280
43860	250mm	150N		MXM JXU Series	Roof	82002925
52091	250mm	350N	A: M8 A: M8	CX Maxxum MX Maxxum Series	Door	1977416C1
52590	250mm	180N		43 44 45 46 55 Series	Roof	3221571R1
52573	245mm	210N	B: B:	1194 1294 1394 1494 1594 1694 Series	Door	K303870
52591	243mm	380N	A: M8 A: M8	33 43 44 45 56 95 95Utility Series	Rear	1284636C2



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>52575</b>	240mm	150N	A: M8 A: M8	33 40 43 44 45 Series	Door & Windscreen	1284622C1
<b>52593</b>	240mm	100N		54 78 84 85 95 85Utility 95Utility 2000 Series	Roof	3123835R1
<b>42772</b>	235mm	350N		Maxxum MXU Puma Series	Steering	82036016
<b>52534</b>	230mm	160N		40 43 44 45 55 56 85 95 CX MTX CX Maxxum 85Utility 3000 3200Utility 4000 4200Utility MaxxumMX Series	Roof	82032866
<b>52588</b>	230mm	150N		43 44 45 55 56 85 95 CX MTX MC CX Maxxum 95Utility 3000 3200Utility 4000 4200Utility MaxxumMX Series	Roof	3399422R3
<b>52592</b>	225mm	75N		Maxxum 5120 5130 5140 5150 5220 5230 5240 5250 Series	Bonnet	108157A1
<b>41767</b>	215mm	310N	A: M8 A: M8	MXM JXU Series	Door	87378324
<b>43532</b>	215mm	850N		CVX Maxxum MXU Puma Series	Door	87374182
<b>43471</b>	205mm	500N	A: M8 A: M8	CS Pro CVX CS Series	Door	134621099
<b>52953</b>	205mm	800N	A: M8 A: M8	CS Pro CVX CS Series	Bonnet	5191712
<b>52574</b>	200mm	200N	A: M8 A: M8	JX JXC JXN JXV Series	Door	44910474
<b>43070</b>	195mm	50N	A: M8 A: M8		Glove B	82014620
<b>52952</b>	190mm	200N	A: M8 A: M8	JX1060C JX1070C JX1075C JX1085C JX1095C Series	Door	K311288

**3943**

8-18 Steel Eye for Gas Struts  
Fits All Gas Strut Except 300s Door

**3942**

Ball Joint 8-18 Steel  
Fits All Gas Strut Except 300s Door


**41075**

Gas Strut Bracket Case 484 584  
684 784 884



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.


Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>6353</b>	485mm	200n	G: 8mm G: 8mm	MTX MC CX XTC TTX ZTX GM Series	Rear	3548042M91
<b>52092</b>	485mm	200n	A: M8 A: M8	MTX MC CX XTC TTX ZTX Series	Rear	189447A2
<b>780165</b>	485mm	200n	G: 10mm G: 10mm	MTX MC CX XTX TTX ZTX Series	Door	6005012549
<b>52091</b>	250mm	350n	A: M8 A: M8	CX100 CX50 CX60 CX70 CX80 CX90 Series	Door	1977416C1





## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.




**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
41766	900mm	500N	B: 10mm B: 10mm	M100 M115 M135 M160 Series	Bonnet	82019392
52954	590mm	150N	A: M8 A: M8	M100 M115 M135 M160 Series	Rear	5192009
61951	585mm	150N	A: M8 A: M8	M100 M115 M135 M160 Series	Rear	3902140M1
407119	585mm	220N	A: M8 A: M8	M100 M115 M135 M160 Series	Rear	81865239
43663	580mm	310N	B: 10mm E: 6mm	L60 L65 L75 L80 L85 L95 Series	Bonnet	5166403
2320	500mm	130N	B: 8mm B: 8mm	43 44 45 46 55 56 66 76 86 90 94 Classique Someca Series	Rear	5113767
4705	500mm	250N	B: 8mm B: 8mm	90 Series	Rear	
7827	498mm	230N		88 90 94 1000 Someca Series	Rear	5129427
7774	250mm	280N		46 66 76 86 88 90 94 1000 Someca Series	Roof	5125289
43860	250mm	150N		L60 L65 L75 L80 L85 L95 Series	Roof	82002925
52534	230mm	160N		Winner Series	Roof	3299422R3
52588	230mm	150N	E: 8mm E: 8mm	Winner Series	Roof	3399422R3
2699	220mm	220N	E: 8mm H: 8mm	M100 M115 M135 M160 Series	Roof	83949895

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>53686</b>	785mm	900N	A: M8 A: M8	Agrotron New TTV M K COM3 TTVCOM3 Series	Bonnet	0.013.13114
<b>54032</b>	610mm	140N	A: M8 A: M8	DX DX4 DX6 DX7 Series	Door	4373763
<b>407119</b>	585mm	220N	A: M8 A: M8	Agrofarm AgroPlus AgroFarm COM3 Series	Rear	81865239
<b>54025</b>	515mm	220N	A: M8 A: M8	Agrostar 07 07C DX4 DX6 DX7 Agrostar Freisicht Series	Windscreen	4336970
<b>54027</b>	515mm	200N	A: M8 A: M8	Agrostar 07 07C DX4 DX6 DX7 Agrostar Freisicht Series	Windscreen	4336970
<b>59079</b>	515mm	200N	G: 10mm G: 10mm	Agrocompact Series	Roof	AL160699
<b>2836</b>	505mm	205N	A: M8 A: M8	07 07C DX DXSC DX4 DX6 DX7 DX8 DX ab Agrostar Freisicht Agrotron MKIII Hopfen Agrotron 6 Agroprima Agrostar Series	Door	83944272
<b>54031</b>	505mm	220N	A: M8 A: M8	Agrostar 07 07C DX4 DX6 DX7 Agrostar Freisicht Series	Door, Rear & Winscreen	4357777
<b>54033</b>	505mm	300N	A: M8 A: M8	DX DXAB DX4 DX6 DX7 DX8 Dxbis Series	Door	4357776
<b>54023</b>	500mm	230N	A: M8 A: M8	DX3SC Agroprima Agrostar AgroXtra Agrostar Freisicht Hopfen Series	Rear & Windscreen	4399081

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
54024	500mm	300N	A: M8 A: M8	DX3SC DX4 Agroprima AgroXtra Series	Door	4373761
54034	406mm	200N	A: M8 A: M8	Agrofarm Agroplus Agrocompact Agrofarm COM3 Agroplus COM3 Agroplus F Agrottron K Agrottron K COM3 Agrokid Agroplus F COM3 Agroplus S COM3 Agroplus V COM3 5 TTV Agrottron TTV Agroplus S Series	Windscreen	4433113
54035	385mm	670N	A: M8 A: M8	Agrottron AgrottronMKIII Agrottron 6 Agrottron New Agrottron 4 Series	Bonnet	4416545
54028	325mm	450N	A: M8 A: M8	Agrottron AgrottronMKIII Agrottron 6 Agrottron New Agrottron 4 Series	Bonnet	4416544
54030	240mm	200N		07 07C DX3SC DX4 DX6 DX7 DXAB Intrac AgroXtra AgroPrima Series	Roof	4316669
54029	235mm	150N	A: M8 A: M8	Agrottron New Agrofarm Agrottron AgrottronTTV COM3 Agrottron4 Agrottron L Agrottron KCOM3 AgrottronK AgrottronM AgrottronTTV Agrottron Profiline Agrottron6 Agrottrac Agroplus Agrottron MKIII Series	Roof	4414159
54407	230mm	750N		Agrottron Agrottron 4 Agrottron 6 Series	Door	4413569
54275	175mm	400N	I E	Agrottron Agrottron 4 Agrottron 6 Series	Steering	4423151
54026	155mm	50N	A: M8 A: M8	Agrottron Agrottron 4 Agrottron 6 Series	Brake	4414574




**3942**  
Ball Joint 8-18 Steel  
Suits all Gas Strut Except 300 Door



**3943**  
8-18 Steel Eye for Gas Struts  
Suits all Gas Strut Except 300 Door

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>61285</b>	785mm	250N	A: M8 A: M8	16500 16550 17500 19000 19500 Series	Rear	3389556M2
<b>3935E</b>	505mm	350N	B: 8mm B: 8mm	50 80 Large Series	Rear	
<b>2834</b>	500mm	200N	A: M8 A: M8	50 80 Large Series	Rear	83932024
<b>3559</b>	500mm	250N	A: M8 A: M8		Rear	1873903M1
<b>3935</b>	500mm	350N	A: M8 A: M8	50 80 Large Series	Rear	1873903M91
<b>6353</b>	485mm	200N	G: 8mm G: 8mm	Blizzard Ghibli Vision Powermondial 7 Ghibli Tier 2 Mistral EPA Tier 3 Vision Tier 2 Vision Tier 3 Series	Rear	3548042M91
<b>64450</b>	255mm	100N	B: B:	12500 14500 16500 16550 17500 19000 19500 Series	Door	3104824M1
<b>2699</b>	220mm	220N	E: 8mm H: 8mm	50 80 Legend Large Series	Roof	83949895




**3942**  
Ball Joint 8-18 Steel  
Suits all Gas Strut Except 300 Door



**3943**  
8-18 Steel Eye for Gas Struts  
Suits all Gas Strut Except 300 Door

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
407119	585mm	220N	A: M8 A: M8	Explorer Dorado Roller Explorer 3 Silver 3 Dorado3 Dorado3Classic Dorado Classic Explorer3 COM3 Series	Rear	81865239
59079	515mm	200N	G: 10mm G: 10mm	Explorer Aster Golden Explorer II Explorer II Special Series	Roof	AL160699
54034	406mm	200N	A: M8 A: M8	Explorer3 COM3 Dorado FarMotion Virtus Iron Continuo COM3 Dorado3 Classic Dorado3 Explorer 3 Solaris Frutteto3 S V Iron HI-Line DCR COM 3 Roller Frutteto II Dorado V S F Iron Golden Explorer Series	Windscreen	4433113
54035	385mm	670N	A: M8 A: M8	Rubin Diamond Series	Bonnet	4416545
54028	325mm	450N	A: M8 A: M8	Rubin Diamond Series	Bonnet	4416544
54029	235mm	150N	A: M8 A: M8	Rubin Dorado Diamond Series	Roof	4414159
54407	230mm	750N	B: 8mm B: 8mm	Silver Laser Rubin Iron IronCOM3 Diamond Iron Hi-Line Iron HI-Line DCR COM 3 Fortis Explorer 3 Iron3 COM3 Laser3 Silver3 Virtus J Iron Continuo COM3 Virtus Iron Continuo Explorer3 COM3 Series	Door	4413569
54275	175mm	400N	I E	Diamond 230 Diamond 260 Series	Steering	4423151

**3942**  
Ball Joint 8-18 Steel  
Suits all Gas Strut  
Except 300 Door



**3943**  
8-18 Steel Eye  
for Gas Struts  
Suits all Gas  
Strut Except 300 Door




# LEYLAND Tractors




## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.


Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>3933</b>	280mm	300N	<b>B:</b> 8mm <b>B:</b> 8mm		Rear	



# KUBOTA Tractors

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>55631</b>	475mm	570N	<b>C:</b> <b>F:</b>	M7040 M9540 Series	Bonnet	3C08183310

<b>55630</b>	350mm	200N	<b>A:</b> M8 <b>A:</b> M8	M7040 M9540 Series	Rear	T142571060
--------------	-------	------	------------------------------	--------------------	------	------------



**Gas Struts**


**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>59681</b>	420mm	200N	C: 10mm C: 10mm	Zetor 5000 6000 7000 Series	Rear	60117921
<b>3659</b>	410mm	180N	B: 8mm B: 8mm	Zetor 5000 6000 7000 Series	Rear	8Z2155218Z2018L
<b>59675</b>	410mm	200N	A: M8 A: M8	Zetor 7000 8000 9000 10000 Proxima Forterra Series	Door	10368919
<b>3658</b>	325mm	175N	B: 8mm B: 8mm	Zetor 3000 4000 5000 6000 7000 8000 9000 10000 11000 12000 14000 16000 Series	Rear	981468 175N EE

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>2834</b>	500mm	200N	A: M8 A: M8	50 80 90 94 Large Series	Rear	83932024
<b>3559</b>	500mm	250N	A: M8 A: M8	90 Series	Rear	1873903M1
<b>52951</b>	270mm	250N	B: B:	90 94 Series	Door	K311288
<b>2835</b>	255mm	100N	A: M8 E: 6.2mm	90 94 Series	Windscreen	83944280
<b>52573</b>	245mm	210N	B: B:	90 94 Series	Door	K303870
<b>52593</b>	240mm	100N	A: M8 E:	90 94 Series	Roof	3123835R1
<b>52215</b>	220mm	330N	B: 8mm H: 8mm	90 94 Series	Roof	3901826M91

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>780167</b>	605mm	150N	<b>G: 10mm</b> <b>G: 10mm</b>	60 70 80 90 100 Series	Rear	7700002848
<b>780163</b>	600mm	400N	<b>B: 8mm</b> <b>B: 8mm</b>	700 800 900 1000 Series	Door & Rear	7700002849
<b>52954</b>	590mm	150N	<b>A: M8</b> <b>A: M8</b>	617 ATZ Series	Rear	5192009
<b>61951</b>	585mm	150N	<b>A: M8</b> <b>A: M8</b>	617 ATZ Series	Rear	3902140M1
<b>780168</b>	560mm	175N	<b>C: 10mm</b> <b>C: 10mm</b>	Atlas Ares 500 600 700 800 Series	Rear	7700044591
<b>780161</b>	495mm	400N	<b>B: 8mm</b> <b>B: 8mm</b>	400 500 600 700 Series	Rear	7701350668
<b>780162</b>	495mm	150N	<b>B: 8mm</b> <b>B: 8mm</b>	300 400 500 600 700 800 900 Series	Rear	7701025587
<b>56008</b>	492mm	250N	<b>A: M8</b> <b>A: M6</b>	700 800 900 1000 Series	Rear	7700002850
<b>780165</b>	485mm	200N	<b>G: 10mm</b> <b>G: 10mm</b>	12-14 55-12 55-14 70-12 Series	Door	6005012549
<b>780172</b>	405mm	200N	<b>G: 10mm</b> <b>G: 10mm</b>	50 70 80 Dionis Pales Fructus Celtis Series	Rear	6005012542
<b>780166</b>	390mm	180N	<b>G: 8mm</b> <b>G: 8mm</b>	50 60 70 80 90 100 600 700 800 900 Ceres Series	Rear	7700005276
<b>2107</b>	375mm	150N	<b>A: M8</b> <b>A: M8</b>	50 60 70 80 90 100 700 Ceres Series	Rear	83952213
<b>780164</b>	325mm	200N	<b>G: 10mm</b> <b>G: 10mm</b>	50 70 Cergos Ergos Series	Roof	6005014318
<b>780171</b>	255mm	300N	<b>G: 10mm</b> <b>G: 10mm</b>	Cergos Ergos Series	Door	6005014361



# RENAULT Tractors

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>780170</b>	225mm	200N	G: 10mm G: 10mm	330 335 340 345 350 355 Series	Rear	6005022224

<b>780169</b>	185mm	400N	C: 10mm C: 10mm	Ares 500 600 700 800 Series	Door	7700059809
---------------	-------	------	--------------------	-----------------------------	------	------------

### 3942

Ball Joint 8-18 Steel  
Suits all Gas Strut  
Except 300 Door



### 3943

8-18 Steel Eye for Gas Struts  
Suits all Gas Strut  
Except 300 Door



# FENDT Tractors

## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>680305</b>	590mm	220N	A: M8 A: M8	Farmer 300 LSA 300 Turbomatik 300 C/CA GT Porte-outils Favorit 600 Series	Rear	X800.420.490.000

<b>3559</b>	500mm	250N	A: M8 A: M8	Farmer 100 Favorit 500 Favorit 800 TurboShift Favorit 600 Favorit 700 GT Kommunal GT Porte-outils 800 Vario Farmer 300 LSA Farmer 300 Turbomatik Favorit 900 Vario COM I Farmer 300 Series	Rear	1873903M1
-------------	-------	------	----------------	---	------	-----------

<b>6162</b>	500mm	200N	A: M8 A: M8	600LS 600LSA 610LS 610LSA 611LS 611LSA 612LS 612LSA 614LS 614LSA 615LS 615LSA Series	Rear	3476187M1
-------------	-------	------	----------------	--	------	-----------

<b>680304</b>	325mm	500N	G: 8mm G: 8mm	900 Vario 900 Vario TMS Series	Rear	H916501022110
---------------	-------	------	------------------	--------------------------------	------	---------------

### 3942

Ball Joint 8-18 Steel  
Suits all Gas Strut  
Except 300 Door




### 3943

8-18 Steel Eye for Gas Struts  
Suits all Gas Strut  
Except 300 Door



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.




**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>407119</b>	585mm	220N	A: M8 A: M8	R2 R3 R3 Evo R4 Lampo Sprint R2 COM3 R4 COM3 Series	Rear	81865239
<b>59079</b>	515mm	200N	G: 10mm G: 10mm	R Agile Grand Prix Formula Series	Roof	AL160699
<b>59818</b>	495mm	200N	A: M8 A: M8	R Grand Prix Formula Series	Rear	AL33170
<b>54034</b>	406mm	200N	A: M8 A: M8	Agile R1 R2 R3 R6 RF RS RV R6 COM3 R3 Evo R3 Evo COM3 R6 Hi-Profile R6 VRT COM3 Lampo RS COM3 Sprint FPlus RF COM3 RV COM3 R2 COM3 Spire Nitro T4i R6 Hi-Profile DCR COM3 Series	Windscreen	4433113
<b>54035</b>	385mm	670N	A: M8 A: M8	Champion Series	Bonnet	4416545
<b>54028</b>	325mm	450N	A: M8 A: M8	Champion Victory Series	Bonnet	4416544
<b>54029</b>	235mm	150N	A: M8 A: M8	R2 R3 R4 R5 R6 Hi-Profile R6 R7 Nitro R T4i Victory Nitro T4i Series	Roof	4414159
<b>54407</b>	230mm	750N		R2 R3 R4 R5 R6 Hi-Profile R6 R7 Nitro R T4i Victory Nitro T4i Series	Door	4413569
<b>54275</b>	175mm	400N	I E	Victory Series	Steering	4423151



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
<b>61285</b>	785mm	250N	A: M8 A: M8	8300 8300T 8600 8800 Series	Rear	3389556M2
<b>52954</b>	590mm	150N	A: M8 A: M8	8850 Series	Rear	5192009
<b>61951</b>	585mm	150N	A: M8 A: M8	8850 Series	Rear	3902140M1
<b>407119</b>	585mm	220N	A: M8 A: M8	6000 8000 N Series	Rear	81865239
<b>64682</b>	500mm	250N	A: M8 A: M8	600 700 800 900 Series	Rear	32995000
<b>64440</b>	345mm	250N	A: M8 A: M8	300 400 500 600 700 800 900 A C M N T T2 TC/TCH 6000 8000 Series	Door	V31517920
<b>64681</b>	280mm	100N	A: M8 A: M8	600 700 800 900 6000 8000 Series	Roof	32241400
<b>64450</b>	255mm	100N		8300 8300T 8600 8800 Series	Door	3104824M1
<b>2699</b>	220mm	220N	E: 8mm H: 8mm	8300 8300T 8600 8800 8850 Series	Roof	83949895



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.




**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
407119	585mm	220N	A: M8 A: M8	XB XBMax XA XT XATraditional Series	Rear	81865239
59079	515mm	200N	G: 10mm G: 10mm	Prestige XN Elite H Series	Roof	AL160699
54034	406mm	200N	A: M8 A: M8	Prince XB XB T-TB COM3 XF XN XS XBMax XM XA XL XM Hi-Level XA Tradition XM.K T4i XV XS Series	Windscreen	4433113
54035	385mm	670N	A: M8 A: M8	SX1200 SX1350 SX1500 SX1600 SX1800 SX2000 Series	Bonnet	4416545
54028	325mm	450N	A: M8 A: M8	SX1200 SX1350 SX1500 SX1600 SX1800 SX2000 Series	Bonnet	4416544
54029	235mm	150N	A: M8 A: M8	XB XBMax XL Tier 4i XT XM XA XL SX XL Hi-Level XM Hi-Level Series	Roof	4414159
54407	230mm	750N		XB XBMax XL Tier 4i XB T-TB XT XM XA XL SX XL Hi-Level XB Farmotion XM Hi-Level Series	Door	4413569



## Gas Struts

**Note:** Check newton rating of existing gas strut before ordering a replacement. Using a gas strut with a lower or higher newton rating can result in damage or glass breakage.



**FITMENT:** find the corresponding letter in the table below to identify the type of fitment and size.

Part Number	Length (end to end)	Pressure	Fitment	Compatibility	Application	OE Ref
44073	515mm	210N		4095Multi 4100Multi 4105Multi 4115Multi 4120Multi Series	Rear	84370227
59818	495mm	200N	A: M8 A: M8	Profi 9000 M CVT100 CVT6000 Series	Rear	AL33170
43533	485mm	200N		CVT6170 CVT6185 CVT6205 CVT6215 CVT6230 Series	Rear	82022486
44068	480mm	100N		Kompakt Kompakt S Series	Rear	84280589
44074	325mm	180N		Kompakt Kompakt S Multi Series	Door	84272165
43860	250mm	150N		Kompakt Series	Roof	82002925
42772	235mm	350N	I E	Profi CVT 6000 Series	Steering	82036016
43532	215mm	850N		Profi CVT6000 CVT100 Series	Door	87374182
43471	205mm	500N		CVT6000 CVT100 Series	Door	134621099



**3942**  
Ball Joint 8-18 Steel  
Suits all Gas Strut Except 300 Door



**3943**  
8-18 Steel Eye for Gas Struts  
Suits all Gas Strut Except 300 Door

Visit our website  
[www.qtponline.com](http://www.qtponline.com)

To sign up for an account contact  
[web@qtponline.com](mailto:web@qtponline.com)

Give us a call  
Phone: 00 353 44 934 1638

