



TOP LINKS CATALOGUE



INDEX

HYDRAULIC TOP LINKS	3
Heavy Duty CAT 2/2	4
Light Duty CAT 2/2	5
CAT 1/1	6
Ball Ball	6
CAT 2/2	6
Ball Ball	6
Hook Ball	7
Hook Knuckle	7
Knuckle Options	7
CAT 3	8
Ball Knuckle	8
Hook Knuckle	8
Knuckle Options	8
Handles	9
Balls	9

STANDARD TOP LINKS	10
OE Style Top Links	13
Massey Ferguson	13
John Deere	14
Deutz	16
Fendt	16
Ford New Holland	16
Case	17

HEAVY DUTY TOP LINKS	18
SuperLinks	19
Knuckle Ends	19

LINKAGE PINS AND ACCESSORIES	20
Linkage Pins	21
Linkage Accessories	22
Weld on Ends	22
Top Link Balls	22
Conversion Bushes	23
R Clips & Double R Clips	23
Linch Pins	24
Tow Pins	26
Top Link Securing Hook	26

NEW HEAVY DUTY TOP LINKS	27
Ball Ball	28
Ball Hook	29
Knuckle Ball	30
Knuckle Hook	31




HYDRAULIC TOP LINKS



HEAVY DUTY

CAT 2/2

Part No.	Min (mm)	Max (mm)	Stroke (mm)	A. Tube Dia	B. Rod Dia	C (mm)	N (mm)	Force (Tonne)
54866	500	675	175	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54865	550	775	225	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54864	600	875	275	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54863	650	975	325	Ø60 x 70	Ø35	Ø26	47	5.6/3.8
54862	700	1075	375	Ø60 x 70	Ø35	Ø26	47	5.6/3.8




LIGHT DUTY

CAT 2/2

Part No.	Min (mm)	Max (mm)	Stroke (mm)	A. Tube Dia	B. Rod Dia	C (mm)	N (mm)	Force (Tonne)
54861	500	707	207	Ø50 x 60	Ø30	Ø26	51	4/2.5
54860	550	807	257	Ø50 x 60	Ø30	Ø26	51	4/2.5
54859	600	907	307	Ø50 x 60	Ø30	Ø26	51	4/2.5
54858	650	1007	357	Ø50 x 60	Ø30	Ø26	51	4/2.5
54857	700	1107	407	Ø50 x 60	Ø30	Ø26	51	4/2.5

Hose



53473

Hose Hydraulic Top Link 800mm Pair with Fittings

CAT 1 Ball - CAT 1 Ball

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53458	470mm	680mm	210mm	50mm	30mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53459	540mm	820mm	280mm	50mm	30mm

CAT 2 Ball - CAT 2 Ball

COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53460	430mm	590mm	160mm	50mm	30mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53461	480mm	690mm	210mm	50mm	30mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE						
	53462	570mm	886mm	296mm	63mm	35mm
COMPLETE WITH HOSE						
	53463	620mm	931mm	311mm	63mm	35mm


CAT 2 Hook - CAT 2 Ball

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53464	585mm	859mm	274mm	63mm	35mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53465	595mm	834mm	239mm	80mm	40mm

CAT 2 Hook - Knuckle, KNUCKLES NOT INCLUDED

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53453	580mm (640mm Including Knuckle)	825mm (885mm Including Knuckle)	245mm	80mm	40mm

Knuckle Options



CAT 2	28mm	CAT3	PIN
53467 25mm Pin & R Clip included A: 28mm B: 25.4mm C: 40mm	53468 28mm Pin & R Clip included A: 28mm B: 28mm C: 40mm	53469 32mm Pin & R Clip included A: 28mm B: 32mm C: 40mm	53466 Pin with R Clip Usable Length 85mm Diameter 28mm

HYDRAULIC TOP LINKS




Hose



53473
Hose Hydraulic Top Link 800mm Pair with Fittings

CAT 3 Ball - Knuckle, KNUCKLES NOT INCLUDED

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53452	580mm (640mm Including Knuckle)	825mm (885mm Including Knuckle)	245mm	90mm	45mm

CAT 3 Hook - Knuckle, KNUCKLES NOT INCLUDED

	Part No.	Min Length	Max Length	Ram Stroke	Cylinder ID	Piston Rod Diameter
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53455	505mm (565mm Including Knuckle)	646mm (706mm Including Knuckle)	141mm	90mm	40mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53456	590mm (650mm Including Knuckle)	816mm (876mm Including Knuckle)	226mm	90mm	45mm
COMPLETE WITH HOSE & ANTI-CREEP VALVE & TRANSPORT HANDLE						
	53457	620mm (680mm Including Knuckle)	835mm (895mm Including Knuckle)	215mm	105mm	45mm

Knuckle Options

CAT 2	28mm	CAT3	PIN
			
53467 25mm Pin & R Clip included A: 28mm B: 25.4mm C: 40mm	53468 28mm Pin & R Clip included A: 28mm B: 28mm C: 40mm	53469 32mm Pin & R Clip included A: 28mm B: 32mm C: 40mm	53466 Pin with R Clip Usable Length 85mm Diameter 28mm

Handles

	<p>43142 Handle - New Holland</p>
	<p>53471 Handle Long 10mm / 350mm</p>
	<p>59028 Handle - John Deere</p>
	<p>53470 Handle Short 10mm / 275mm</p>
	<p>53472 Handle Clip</p>

Balls

CAT 2	CAT 2/3	CAT3	CHAIN
			
<p>4044</p>	<p>21018</p>	<p>21019</p>	<p>41746 For Quick Release CBM Type</p>






STANDARD TOP LINKS

Ball size	Top Link	
CAT 1	3/4	19mm
CAT 2	1	25mm
CAT 3	1 1/4	32mm
CAT 4	1 25/32	45mm

Part No	Applications		Min	Max	CAT
51770	Handle for Ratch on Top Link fits 62108 1689 1690 1547 51720 Series <i>Shaft size is 44mm</i>				
21011	Top Link Assembly Standard Duty Tube 7 1/2"		280mm	360mm	0
21008	Top Link Assembly Standard Duty Tube 7" <i>Screw On End For Right Hand Thread is 21022</i>		315mm	410mm	2
21010	Top Link Assembly Tube 11 1/4"		405mm	585mm	2
2474	Top Link David Brown Conversion Tube 14 1/2" Adj Min 20" Max 30"		490mm	725mm	1/2
62108	Top Link 16" <i>Ratchet Handle is 51770</i>		520mm	700mm	1/2
1690	Top Link 16" Tube 16" <i>Ratchet Handle is 51770</i>		520mm	700mm	1










STANDARD TOP LINKS













Part No	Applications		Min	Max	CAT
3785	Top Link 16" Heavy Duty		560mm	800mm	2
1547	Top Link <i>Ratchet Handle is 51770</i>		613mm	770mm	1/2
3792	Top Link Heavy Duty Tube 19" Adj Min 24 7/16" Max 35 5/16"		615mm	855mm	2
1689	Top Link 20" Tube 20" <i>Ratchet Handle is 51770</i>		625mm	915mm	2
53403	Top Link OE Ref: 3808658M91		720mm	920mm	2








Massey Ferguson Standard Top Links

Part No	Applications		Min	Max	CAT
41738	Top Link CBM 15" Tube Landini Legend McCormack MC & MTX Series		570mm	780mm	2
61609	Top Link Assembly FE 35 135 Series <i>Use with 32" Lift Arm 182632</i> OE Ref: 184134M91		590mm	750mm	1/1
61610	Top Link Assembly FE 35 135 Series <i>Use with 32" Lift Arm 182632</i> OE Ref: 184134M91		600mm	750mm	1/2
61611	Top Link 135 148 Series <i>Use with 35" Lift Arm 1869289</i> OE Ref: 184078M91		630mm	770mm	1/1
61612	Top Link 135 148 Series <i>Use with 35" Lift Arm 1869289</i> OE Ref: 194376M91		640mm	770mm	1/2
2525	Top Link Quick Release 3000 3100 6100 Series OE Ref: 3615052M4		645mm	736mm	2/2
1165	Top Link 21" 188 590 595 Series OE Ref: 1660050M91		675mm	855mm	2
1164	Top Link 21.5" 165 188 Series OE Ref: 1887285M91		710mm	838mm	2/2
65132	Front Linkage Top Link 5400 6400 7400 8400 6600 7600 7700 6700 Series OE Ref: 4281474M2				

John Deere


Part No	Applications		Min	Max	CAT
58475	Top Link Hook End 6400 6600 6420 6430 6530 6115M Series OE Ref: AL176469		525mm	785mm	3
58472	Top Link Ball End 6105M 6115M 6125M Series OE Ref: AL200985		530mm	720mm	2
58474	Top Link Ball End John Deere 6400 6600 6420 6430 6530 6115M Series OE Ref: AL200986		540mm	740mm	3
58473	Top Link Hook End 6200 6400 6600 6530 6430 6125M Series OE Ref: AL176473		550mm	735mm	2
59185	Top Link John Deere 6000 Series		565mm	690mm	2/2
59184	Top Link John Deere 6000 Series		575mm	690mm	3
58469	Top Link Ball End 6800 6900 6920 6830 6930 6150M Series OE Ref: AL200983		585mm	770mm	3
58470	Top Link Hook End 6800 6900 6920 6830 6930 6150M Series OE Ref: AL176465		605mm	810mm	3
57877	Top link John Deere 8030 8R Series		710mm	1000mm	4
59287	Top Link John Deere 6000 Series 605mm Centre to Centre OE Ref: AL78064 <i>59771 is Budget Version</i>		605mm		2/3

John Deere






Part No	Applications		Min	Max	CAT
59768	Top Link John Deere 6000 Series 38mm (61cm) long (Centre to Centre)		610mm		2/3
3252	Top Link Assembly John Deere 13" OE Ref: AL39170		610mm	762mm	1/2
59772	Top Link John Deere 6000 Series 38mm OE Ref: AL176467		620mm		3/3
58471	Top Link Hook End 7430 7530 6170M Series OE Ref: AL167751		620mm	800mm	3
59042	Top Link John Deere 7600 7700 7800 7610 7 7810 7720 7820 7920 7630 7730 7830 7930 Series OE Ref: R96295		630mm		3




Deutz








Part No	Applications		Min	Max	CAT
55223	Top Link Deutz 6206 Series 76 Min		720mm	950mm	1/2


Ford New Holland

Part No	Applications		Min	Max	CAT
3028	Top Link 16.75" Ford 4000 4600 Series OE Ref: E6NN576C		610mm	795mm	1/2
42066	Top Link Assembly Hook TM TS Series C: 28mm OE Ref: 82032588 <i>Pin to suit - 43206</i>	 <small>CBM SpA CONTRUZIONI MECCANICHE</small>	620mm	896mm	3
42066R	Top Link Assembly Hook CAT 28mm Ford New Holland TM TS Series <i>Hole Pin - 43206</i> <i>Knuckle - 53469 To Make CAT 3</i>		620mm	896mm	3
3027	Top Link 17" Ford New Holland 5600 7600 Series OE Ref: 81824138		630mm	794mm	2
41309	Top Link Ball 28mm Eye Ford New Holland 40 Fiat M100 to M160 Series <i>Knuckle - 53469 Pin - 43206</i> OE Ref: 5166014		630mm	850mm	2



Case






Part No	Applications		A	B	C	CAT
52461	Top Link CAT 2/CAT2 Case Maxxum MXU Puma CVX New Holland T6000 TSA Series 28mm Pin OE Ref:5197609	 	600 mm		28 mm	2
55716	Top Link Case Maxxum MXU Puma CVX Ford New Hol- land T6000 TSA Series OE Ref: 47125165	 				3
52459	Top Link CAT 3/CAT3 Case CS100 CS110 CS120 CS130 CS150 CVX1135 1145 1155 1170 1150 1195 CVX120 130 150 170 Ford TCT135 145 155 170 190 195 Series OE Ref:132574312	 	660 mm		32 mm	3
56173	Top link Assembly OE Ref:416472A1		710 mm	45 mm	32 mm	4



HEAVY DUTY TOP LINKS

Part No	Applications		Min	CAT
2199	Top Link John Deere SuperLink Tube 15"		550mm	2
4115	Top Link John Deere Fendt SuperLink Tube 19"		610mm	2
3251	Top Link Superlink Tube 19" <i>CAT 3 - CAT 2 Conversion Bush – 53475</i>		660mm	3

Knuckle Ends

21005	Top Link CAT 3 Ball End & Knuckle End Tube 15" 28mm B <i>CAT 3 - CAT 2 Conversion Bush – 53475</i>		454mm	3
21014	Top Link John D Ball End & Knuckle End Tube 15" 32mm B		570mm	2/3
21003	Quick Hitch Hook & Ball End Top Link Tube 15"		595mm	2/3
21007	Quick Hitch Hook & Knuckle End Top Link Tube 15" 25mm Bore		660mm	2
3207	Quick Hitch Hook & Ball End Top Link Tube 19"		680mm	3/3

LINKAGE PINS AND ACCESSORIES

Part No	Applications	Category	Size	Image
195589	Top Link Pin	CAT 1	A: 19mm B: 102mm	
195590	Top Link Pin	CAT 1	A: 19mm B: 110mm	
1461	Top Link Pin	CAT 1	A: 19mm B: 127mm	
195591	Top Link Pin	CAT 1	A: 76mm B: 76mm	
62166	Top Link Pin 20d	CAT 1	A: 19mm B: 83mm	
53029	Top Link Pin	CAT 1	A: 19mm B: 52mm	
42141	Top Link Pin	CAT 2	A: 25mm B: 142mm	
42140	Top Link Pin	CAT 2	A: 25mm B: 83 mm	
2363	Top Link Pin 188	CAT 2	A: 25mm B: 110mm	

Part No	Applications	Category	Size	Image
4045	Top Link Pin	CAT 1	A: 123mm B: 19mm	
4078	Top Link Pin	CAT 2	A: 123mm B: 25mm	
4724	Lower Link Pin	CAT 1	A: 123mm B: 22mm	
4723	Lower Link Pin	CAT 2	A: 123mm B: 28mm	

Part No	Applications	Category	Size	Image
1997	Top Link Pin	CAT 1 & 2	A: 166mm	
4110	Lower Link Pin	CAT 1 & 2	A: 213mm	
51115	Lower Link Pin	CAT 1 & 2	A: 230mm	
2468	Top Link Pin	CAT 1 & 2	A: 170mm	

Part No	Applications	Category	Size	Image
1292	Top Link Pin IHC	CAT 1	B: 25mm	



43206
 Top Link Pin Ford 40 TS Series
129mm x 28mm
 OE Ref: 82007676
 To suit 41309 & 42066



44020
 Top Link Pin Ford New Holland
 TM120 TM130 TM140 TM155
 TM170 TM190 Series
 OE Ref: 5196306









44497
 Top Link Bracket Ford New Holland
 40 TS TV Series
 OE Ref: 82007673

Weld on Ends

<p>51095</p>	<p>Weld on End Cat 1 Top Link <i>Welding length: 30mm</i></p>	
<p>51094</p>	<p>Weld on End Cat 2 Top Link <i>Welding length: 30mm</i></p>	

Top Link Balls

<p>4044</p>	<p>Top Link Ball CAT 2/2</p>	 
<p>21018</p>	<p>Top Link Ball CAT 3/2 <i>OE Ref: 3617874M1</i></p>	 
<p>21019</p>	<p>Top Link Ball CAT 3/3 <i>OE Ref: 132129A1</i> <i>CAT3 to CAT2</i> <i>Conversion Bush is 53475</i></p>	 

Top Link Conversion Bushes


53475	Top Link Conversion Bush CAT 2 CAT 3 Suits 3676 3251 3234 21004 21005 21019 21001	
42144	Top Link Conversion Bush CAT 1/2 Ford 10 100 1000 30 40 Industrial TW Series	

R Clips











Part No	Size
3122	2mm
1668	3mm (1/8')
1666	4mm (3/16') OE Ref: 346161X1
3607	5mm
3608	6mm
3363	7mm Large

Double R Clips

Part No	Size
2483	4.5mm
2479	6mm
2485	6mm
2486	7mm



Linch Pins

Part No	Application	Size	
1036	Linch Pin 7/16"	11mm	
1236	Linch Pin 1/4"	6mm	
1235	Linch Pin 5/16"	8mm	
4419	Linch Pin for 4418	12mm Diameter Pin	
61714	Linch Pin with Link Chain PAIR		
42101	Linch Pin Assembly		
42102	Linch Pin Assembly with Chain TSA TL TLA T6000		
52913	Safety Linch Pin	8mm	
53027	Safety Linch Pin	10mm	
53054	Linch Pin & Rubber Strap	5.5mm	

Part No	Application	Size
---------	-------------	------


53055 Linch Pin & Rubber Strap

9.5mm



53057 Linch Pin & Grip Clip Assortment Pack Qty 50

1. 5 x 6mm
2. 5 x 9.5mm
3. 10 x 11mm
4. 5 x 2mm
5. 10 x 3mm
6. 10 x 4mm
7. 5 x 5mm



53060 Stabiliser Linch Pin

59mm x 10mm



59278 Stabiliser Linch Pin John Deere 6010 Series



53492 Round Linch Pin

5mm



43952 Linch Pin New Holland T5 T6 T7 TSA



64924 Bottom Fork Linch Pin Valtra T154 T994







64939 Levelling Box Bottom Linch Pin Massey Ferguson 6400, 7600, 7700 Series



55342 Linch Pin Kit 50pcs



Tow Pins


Part No	Application	Size	
1006	Tow Pin TEF 20 TE20 TEA20 TED20	Cat 1 7/8" 6 1/4"	
1755	Heavy Tow Pin with Chain 1" Thick	6 1/2"	
1779	Tow Pin	6" 1 1/8" Thick	
4163	Tow Pin with Heavy Chain	1 1/4" X 7 1/2"	

Top Link Securing Hook

Part No	Application	
61293	Top Link Securing Hook OE Ref: 1809938	

HEAVY DUTY TOP LINKS BALL BALL BALL HOOK KNUCKLE BALL KNUCKLE HOOK

QTP'S NEW TOP LINK NAMING CONVENTIONS



BALL BALL



Part No.	CAT	Tube Length	Closing (Min)	Opening (Max)
BB22380	CAT 2 / 2	380mm	560mm	820mm
BB22485	CAT 2 / 2	485mm	635mm	950mm
BB22520	CAT 2 / 2	520mm	670mm	958mm
BB23380	CAT 2 / 3	380mm	535mm	794mm
BB23485	CAT 2 / 3	485mm	637mm	895mm
BB23520	CAT 2 / 3	520mm	673mm	933mm
BB32380	CAT 3 / 2	380mm	560mm	820mm
BB32485	CAT 3 / 2	485mm	635mm	950mm
BB32520	CAT 3 / 2	520mm	670mm	958mm
BB33380	CAT 3 / 3	380mm	560mm	820mm
BB33485	CAT 3 / 3	485mm	635mm	950mm
BB33520	CAT 3 / 3	520 mm	670mm	958mm

BALL HOOK



Part No.	CAT	Tube Length	Closing (Min)	Opening (Max)
BH22380	CAT 2 / 2	380mm	653mm	891mm
BH22485	CAT 2 / 2	485mm	710mm	990mm
BH22520	CAT 2 / 2	520mm	748mm	1045mm
BH23380	CAT 2 / 3	380mm	598mm	848mm
BH23485	CAT 2 / 3	485mm	699mm	939mm
BH23520	CAT 2 / 3	520mm	737mm	987mm
BH32380	CAT 3 / 2	380mm	653mm	906mm
BH32485	CAT 3 / 2	485mm	710mm	1005mm
BH32520	CAT 3 / 2	520mm	748mm	1045mm
BH33380	CAT 3 / 3	380mm	612mm	847mm
BH33485	CAT 3 / 3	485mm	699mm	949mm
BH33520	CAT 3 / 3	520mm	737mm	987mm




KNUCKLE BALL



Part No.	mm / CAT	Tube Length	Closing (Min)	Opening (Max)
KB22380	CAT 2 / 2	380mm	588.8mm	825.8mm
KB22485	CAT 2 / 2	485mm	676.8mm	926.8mm
KB22520	CAT 2 / 2	520mm	714mm	983mm
KB23380	CAT 2 / 3	380mm	591mm	845mm
KB23485	CAT 2 / 3	485mm	676.5mm	925.5mm
KB23520	CAT 2 / 3	520mm	714mm	984mm
KB282380	28 / CAT 2	380mm	754.5mm	811.5mm
KB282485	28 / CAT 2	485mm	663.1mm	912.5mm
KB282520	28 / CAT 2	520mm	701mm	970mm
KB283380	28 / CAT 3	380mm	577mm	831mm
KB283485	28 / CAT 3	485mm	663mm	932mm
KB283520	28 / CAT 3	520mm	701mm	970mm
KB302380	30 / CAT 2	380mm	582mm	835mm
KB302485	30 / CAT 2	485mm	667mm	936mm
KB302520	30 / CAT 2	520mm	705mm	974mm
KB303380	30 / CAT 3	380mm	582mm	835mm
KB303485	30 / CAT 3	485mm	667mm	936mm
KB303520	30 / CAT 3	520mm	705mm	974mm
KB32380	CAT 3 / 2	380mm	583mm	836mm
KB32485	CAT 3 / 2	485mm	668mm	937mm
KB32520	CAT 3 / 2	520mm	706mm	975mm
KB33380	CAT 3 / 3	380mm	583mm	836mm
KB33485	CAT 3 / 3	485mm	667.5mm	937mm
KB33520	CAT 3 / 3	520mm	706mm	975mm

KNUCKLE HOOK



Part No.	mm / CAT	Tube Length	Closing (Min)	Opening (Max)
KH22380	CAT 2 / 2	380mm	676.8mm	916.8mm
KH22485	CAT 2 / 2	485 mm	736.8mm	1014.8mm
KH22520	CAT 2 / 2	520 mm	775mm	1071mm
KH23380	CAT 2 / 3	380 mm	635mm	874mm
KH23485	CAT 2 / 3	485mm	725.5mm	950.5mm
KH23520	CAT 2 / 3	520mm	740mm	950mm
KH282380	28 / CAT 2	380mm	662.5mm	902.5mm
KH282485	28 / CAT 2	485mm	723mm	1019mm
KH282520	28 / CAT 2	520mm	761mm	1057mm
KH283380	28 / CAT 3	380mm	621mm	860mm
KH283485	28 / CAT 3	485mm	712mm	961mm
KH283520	28 / CAT 3	520mm	740mm	950mm
KH302380	30 / CAT 2	380mm	668mm	922mm
KH302485	30 / CAT 2	485mm	727mm	1023mm
KH302520	30 / CAT 2	520mm	765mm	1061mm
KH303380	30 / CAT 3	380mm	625mm	864mm
KH303485	30 / CAT 3	485mm	716mm	965mm
KH303520	30 / CAT 3	520mm	740mm	950mm
KH32380	CAT 3 / 2	380mm	669mm	923mm
KH32485	CAT 3 / 2	485mm	728mm	1024mm
KH32520	CAT 3 / 2	520mm	766mm	1062mm
KH33380	CAT 3 / 3	380mm	626mm	865mm
KH33485	CAT 3 / 3	485mm	717.1mm	949.5mm
KH33520	CAT 3 / 3	520mm	740mm	950mm



Visit our website
www.qtponline.com

To sign up for an account contact
web@qtponline.com

Give us a call
Phone: 00 353 44 934 1638



Quality Tractor Parts Ltd.
Units 5-7, Zone C,
Mullingar Business Park,
Mullingar,
Co. Westmeath,
Ireland
N91 ND3T.